

Markdown Examples

JSON

```
```json
{
 "firstName": "John",
 "lastName": "Smith",
 "age": 25
}
```
```

```
{
  "firstName": "John",
  "lastName": "Smith",
  "age": 25
}
```

Tables

```
Tables	Are	Cool
col 1 is	left-aligned	$1600
col 2 is	centered	$12
col 3 is	right-aligned	$1
```

| Tables | Are | Cool |
|----------|---------------|--------|
| col 1 is | left-aligned | \$1600 |
| col 2 is | centered | \$12 |
| col 3 is | right-aligned | \$1 |

More....

[h1 Heading 8-\)](#)

[h2 Heading](#)

[h3 Heading](#)

[h4 Heading](#)

[h5 Heading](#)

[h6 Heading](#)

Horizontal Rules

Typographic replacements

Enable typographer option to see result.

(c) (C) (r) (R) (tm) (TM) (p) (P) +-

test.. test... test..... test?..... test!....

!!!!!! ????? ,. -- ---

"Smartypants, double quotes" and 'single quotes'

Emphasis

This is bold text

This is bold text

This is italic text

This is italic text

~~Strikethrough~~

Blockquotes

Blockquotes can also be nested...

...by using additional greater-than signs right next to each other...

...or with spaces between arrows.

Lists

Unordered

- Create a list by starting a line with +, -, or *
- Sub-lists are made by indenting 2 spaces:
 - Marker character change forces new list start:
 - Ac tristique libero volutpat at
 - Facilisis in pretium nisl aliquet
 - Nulla volutpat aliquam velit
- Very easy!

Ordered

1. Lorem ipsum dolor sit amet
2. Consectetur adipiscing elit
3. Integer molestie lorem at massa
4. You can use sequential numbers...
5. ...or keep all the numbers as 1 .

Start numbering with offset:

1. foo
2. bar

Code

Inline `code`

Indented code

```
// Some comments
line 1 of code
line 2 of code
line 3 of code
```

Block code "fences"

Sample text here...

Syntax highlighting

```
var foo = function (bar) {
  return bar++;
};

console.log(foo(5));
```

Tables

| Option | Description |
|--------|---|
| data | path to data files to supply the data that will be passed into templates. |
| engine | engine to be used for processing templates. Handlebars is the default. |
| ext | extension to be used for dest files. |

Right aligned columns

| Option | Description |
|--------|---|
| data | path to data files to supply the data that will be passed into templates. |
| engine | engine to be used for processing templates. Handlebars is the default. |
| ext | extension to be used for dest files. |


Links


[link text](#)

[link with title](#)

Autoconverted link <https://github.com/nodeca/pica> (enable linkify to see)

Images





Like links, Images also have a footnote style syntax



With a reference later in the document defining the URL location:

Plugins

The killer feature of `markdown-it` is very effective support of [syntax plugins](#).

Emojies

Classic markup: `:wink:` `:cry:` `:laughing:` `:yum:`

Shortcuts (emoticons): `:-)` `:-(` `8-)` `;`

see [how to change output](#) with `twemoji`.

Subscript / Superscript

- 19th
- H₂O

<ins>

Inserted text

<mark>

==Marked text==

Footnotes

Footnote 1 link¹.

Footnote 2 link².

Inline footnote^[Text of inline footnote] definition.

Duplicated footnote reference².

Definition lists

Term 1
Definition 1 with lazy continuation.

Term 2 with *inline markup*
Definition 2

```
{ some code, part of Definition 2 }
```

Third paragraph of definition 2.

Compact style:

Term 1
Definition 1

Term 2
Definition 2a
Definition 2b

Abbreviations

This is HTML abbreviation example.

It converts "HTML", but keep intact partial entries like "xxxHTMLyyy" and so on.

*[HTML]: Hyper Text Markup Language

Custom containers

::: warning *here be dragons* :::

1. Footnote **can have markup**

and multiple paragraphs.

2. Footnote text.